

Package: EffectLiteR (via r-universe)

September 1, 2024

Version 0.5-1

Date 2024-09-01

Title Average and Conditional Effects

Author Axel Mayer [aut, cre], Lisa Dietzfelbinger [ctb], Yves Rosseel [ctb]

Maintainer Axel Mayer <amayer2010@gmail.com>

Description Use structural equation modeling to estimate average and conditional effects of a treatment variable on an outcome variable, taking into account multiple continuous and categorical covariates.

Depends R (>= 3.5.0), lavaan (>= 0.6-8)

Imports methods, shiny (>= 1.5.0), DT, foreign, ggplot2, nnet, car, restriktor, ic.infer, numDeriv

Suggests testthat

License GPL (>= 2)

Encoding UTF-8

URL <https://github.com/amayer2010/EffectLiteR>

LazyData yes

RoxygenNote 7.3.2

Repository <https://amayer2010.r-universe.dev>

RemoteUrl <https://github.com/amayer2010/effectliter>

RemoteRef HEAD

RemoteSha 00bc7e31099cc16191bcf6e96f2ce4c3e2e394e0

Contents

EffectLiteR-package	2
autoSelectSubset	3
computeAggregatedEffects	3
conditionalEffectsPlot	4

effectLite	5
effectLiteGUI	8
effectLite_iht	8
elrdata_categorical_items	9
elrdata_kieferetal2024	10
elrdata_logreg	10
elrEffects	11
elrEffectsGUI	12
elrPredict	12
elrReadData	13
example01	14
example02lv	14
example_multilevel	15
generateMeasurementModel	15
MDRS2016	17
nonortho	17
sophonet_data_simulated	18
Index	19

EffectLiteR-package *EffectLiteR*

Description

Use structural equation modeling to estimate average and conditional effects of a treatment variable on an outcome variable, taking into account multiple continuous and categorical covariates.

Author(s)

Maintainer: Axel Mayer <amayer2010@gmail.com>

Other contributors:

- Lisa Dietzfelbinger <lisa.dietzfelbinger@uni-jena.de> [contributor]
- Yves Rosseel <yves.rosseel@ugent.be> [contributor]

See Also

Useful links:

- <https://github.com/amayer2010/EffectLiteR>

autoSelectSubset *Autoselect Subset for Aggregated Effects*

Description

Automatically selects a subset of the original dataset for computing specific aggregated effects. The subset is selected such that it is as close as possible to the user supplied newdata frame. The function uses exact matching for categorical covariates (and the treatment if specified) and matching based on the Mahalanobis distance for continuous covariates.

Usage

```
autoSelectSubset(obj, newdata, nsub = 10)
```

Arguments

obj	Object of class effectlite.
newdata	A data.frame with a single row, containing the same continuous and categorical covariates (and potentially the treatment variable) as used when fitting the EffectLiteR model in obj.
nsub	Integer. How many data points should be used for matching the continuous covariates. Will be ignored if no values for continuous covariates are specified.

Value

Vector of integers indicating the rows to use for computing the aggregated effects. Can directly be used in [computeAggregatedEffects](#)

Examples

```
m1 <- effectLite(y="dv", z=c("z1"), k=c("k1"), x="x",
  control="control", data=example01, fixed.cell=TRUE, fixed.z=TRUE)
newdata <- data.frame(k1=NA, z1=1)
agg.subset <- autoSelectSubset(m1, newdata)
```

computeAggregatedEffects
Compute Aggregated Effects

Description

Computes aggregates of conditional effects for a subset of the original dataset based on a fitted EffectLiteR model.

Usage

```
computeAggregatedEffects(obj, agg.subset)
```

Arguments

obj	Object of class <code>effectlite</code> .
agg.subset	Vector of integers indicating the row numbers of the original dataset for the subset used to compute the aggregated effect

Value

Object of class `"data.frame"`.

Examples

```
m1 <- effectLite(y="dv", z=c("z1"), k=c("k1"), x="x",
  control="control", data=example01, fixed.cell=TRUE, fixed.z=TRUE)
newdata <- data.frame(k1=NA, z1=1)
agg.subset <- autoSelectSubset(m1, newdata)
computeAggregatedEffects(m1, agg.subset)
```

conditionalEffectsPlot

Plot conditional effects

Description

Can be used to make a conditional effects plot with an effect function on the y axis and a covariate on the x axis. `ggplot2` is used to create the plot.

Usage

```
conditionalEffectsPlot(
  obj,
  zsel = "id",
  gxsel = "g1",
  colour = "",
  show.ci = FALSE,
  regression = "default",
  regression.ci = FALSE
)
```

Arguments

obj	Object of class <code>effectLite</code> obtained from fitting an effect model using <code>effectLite</code>
zsel	Name of a covariate (character string) plotted on the x-axis. If "id" (the default) the subject index is shown on the x-axis, where subjects in the data are enumerated as <code>1:nrow(data)</code> .
gxsel	Name of an effect function (character string) plotted on the y-axis.
colour	Name of a covariate (character string) used as colour variable in the plot.
show.ci	Logical. Should 95 percent confidence intervals around conditional effects be shown in the plot.
regression	Specifies if a regression line should be drawn. Can be one of <code>c("default", "smooth", "linear", "none")</code>
regression.ci	Logical. Will be passed on to <code>geom_smooth</code> and specifies its <code>se</code> argument. Notice that the confidence interval shown by <code>geom_smooth</code> does not take uncertainty into account that comes from estimating the values of the conditional effects on the y axis.

Value

Object of class `c("gg", "ggplot")`.

Examples

```
m1 <- effectLite(y="dv", x="x", k="k1", z="z1", control="control", data=example01)
conditionalEffectsPlot(m1, zsel="z1", gxsel="g1", colour="k1")
```

effectLite

Estimate average and conditional effects

Description

This function is the main function of the package and can be used to estimate average and conditional effects of a treatment variable on an outcome variable, taking into account any number of continuous and categorical covariates. It automatically generates lavaan syntax for a multi-group structural equation model, runs the model using lavaan, and extracts various average and conditional effects of interest.

Usage

```
effectLite(
  y,
  x,
  k = NULL,
  z = NULL,
  data,
  method = "sem",
```

```

control = "default",
measurement = character(),
fixed.cell = "default",
fixed.z = "default",
missing = "default",
se = "default",
syntax.only = FALSE,
interactions = "all",
homoscedasticity = "default",
test.stat = "default",
propscore = NULL,
ids = ~0,
weights = NULL,
add = character(),
...
)

```

Arguments

y	Dependent variable (character string). Can be the name of a manifest variable or of a latent variable.
x	Treatment variable (character string) treated as categorical variable.
k	Vector of manifest variables treated as categorical covariates (character vector).
z	Vector of continuous covariates (character vector). Names of both manifest and latent variables are allowed.
data	A data frame.
method	Can be one of <code>c("sem", "lm")</code> and indicates which function is used to fit the model.
control	Value of x that is used as control group. If "default", takes the first entry of <code>as.factor(x)</code> .
measurement	Measurement model. The measurement model is lavaan syntax (character string), that will be appended before the automatically generated lavaan input. It can be used to specify a measurement for a latent outcome variable and/or latent covariates. See also the example and generateMeasurementModel .
fixed.cell	logical. If FALSE, the group sizes are treated as stochastic rather than fixed. The default setting for <code>method="sem"</code> is FALSE and the default setting for <code>method="lm"</code> is TRUE.
fixed.z	logical. If FALSE, the continuous covariates are treated as stochastic rather than fixed. The default setting for <code>method="sem"</code> is FALSE and the default setting for <code>method="lm"</code> is TRUE.
missing	Missing data handling. Will be passed on to sem or ignored for <code>method="lm"</code> .
se	Type of standard errors. Will be passed on to sem or ignored for <code>method="lm"</code> .
syntax.only	logical. If TRUE, only syntax is returned and the model will not be estimated.

interactions	character. Indicates the type of interaction. Can be one of "all" (all interactions), "2-way" (only two-way interactions), "X:K,X:Z" (only X:K and X:Z interactions), "X:K" (only X:K interactions), "X:Z" (only X:Z interactions), "none" (no treatment by covariate interactions, but potentially interactions between categorical and continuous covariates), or "no" (no interactions at all).
homoscedasticity	logical. If TRUE, residual variances of the dependent variable are assumed to be homogeneous across cells. The default setting for method="sem" is FALSE and the default setting for method="lm" is TRUE.
test.stat	character. Can be one of c("default", "Chisq", "Ftest") and indicates the statistic used for the hypothesis tests. The tests are either based on the large sample Chi-Squared statistic (Wald tests) or the finite sample F statistic with approximate F distribution. The default setting for method="sem" is "Chisq" and the default setting for method="lm" is "Ftest".
propscore	Vector of covariates (character vector) that will be used to compute (multiple) propensity scores based on a multinomial regression without interactions. Alternatively, the user can specify a formula with the treatment variable as dependent variable for more control over the propensity score model.
ids	Formula specifying cluster ID variable. Because lavaan.survey that used this argument is no longer on CRAN, the cluster argument in sem will now be used.
weights	Formula to specify sampling weights. Because lavaan.survey that used this argument is no longer on CRAN, the sampling.weights argument in sem will now be used. Note: Only use weights if you know what you are doing. For example, some conditional treatment effects may require different weights than average effects.
add	Character string that will be pasted at the end of the generated lavaan syntax. Can for example be used to add additional (in-) equality constraints or to compute user-defined conditional effects.
...	Further arguments passed to sem .

Value

Object of class effectlite.

References

Mayer, A., Dietzfelbinger, L., Rosseel, Y. & Steyer, R. (2016). The EffectLiteR approach for analyzing average and conditional effects. *Multivariate Behavioral Research*, 51, 374-391.

Examples

```
## Example with one categorical covariate
m1 <- effectLite(y="y", x="x", k="z", control="0", data=nonortho)
print(m1)

## Example with one categorical and one continuous covariate
m1 <- effectLite(y="dv", x="x", k=c("k1"), z=c("z1"), control="control", data=example01)
```

```

print(m1)

## Example with latent outcome and latent covariate
measurement <- '
eta2 =~ 1*CPM12 + 1*CPM22
eta1 =~ 1*CPM11 + 1*CPM21
CPM11 + CPM12 ~ 0*1
CPM21 ~ c(m,m)*1
CPM22 ~ c(p,p)*1'

m1 <- effectLite(y="eta2", x="x", z=c("eta1"), control="0",
                 measurement=measurement, data=example02lv)
print(m1)

## Example with cluster variable and sampling weights
m1 <- effectLite(y="y", x="x", z="z", fixed.cell=TRUE, control="0",
                 syntax.only=FALSE, data=example_multilevel,
                 cluster="cid", sampling.weights="weights")

print(m1)

```

effectLiteGUI

Shiny interface for effectLite

Description

This function calls a shiny interface for effectLite.

Usage

```
effectLiteGUI(launch.browser = TRUE)
```

Arguments

`launch.browser` Option will be passed on to [runApp](#)

effectLite_iht

Informative hypothesis tests for effectLite

Description

Informative hypothesis tests for effectLite

Usage

```
effectLite_iht(object, constraints = NULL, test = "default")
```

Arguments

object	effectlite. Fitted model of class effectlite estimated with <code>effectLite</code> using <code>method="sem"</code> .
constraints	character. Specification of constraints for the ordered hypothesis test.
test	character. Statistical test to be used for the ordered hypothesis test. Can be one of <code>c("default", "Fbar", "Wald")</code> .

Value

list with test statistics and p-value.

Examples

```
m1 <- effectLite(y="dv", x="x", k="k1", z="z1", method = "sem",
               fixed.cell=TRUE, fixed.z=TRUE, data=example01)
test <- effectLite_iht(object = m1,
                      constraints = 'adjmean2 > adjmean1
                                   adjmean1 > adjmean0')
print(test)
```

elrdata_categorical_items

Dataset elrdata_categorical_items.

Description

A simulated dataset for testing measurement models with categorical items:

Format

A data frame with 10000 rows and 13 variables.

Details

- x. Treatment variable with values 0, 1.
- z11. indicator for covariate.
- z21. indicator for covariate.
- z31. indicator for covariate.
- z41. indicator for covariate.
- z51. indicator for covariate.
- y11. indicator for outcome.
- y21. indicator for outcome.
- y31. indicator for outcome.

- y41. indicator for outcome.
- y51. indicator for outcome.
- y61. indicator for outcome.
- y71. indicator for outcome.

elrdata_kieferetal2024

Dataset elrdata_kieferetal2024.

Description

A simulated dataset for logistic regression from Kiefer, Lugauer, and Mayer (2024):

Format

A data frame with 600 rows and 3 variables.

Details

- Y. Outcome variable with values 0, 1.
- X. Treatment variable with values 0, 1.
- Z. continuous covariate.

elrdata_logreg

Dataset elrdata_logreg.

Description

A simulated dataset for testing logistic regression:

Format

A data frame with 10000 rows and 6 variables.

Details

- y. Outcome variable with values 0, 1.
- x. Treatment variable with values 0, 1.
- z1. continuous covariate.
- z2. continuous covariate.
- k1. categorical covariate.
- k2. categorical covariate.

 elrEffects

Average and conditional effects based on generalized linear models

Description

This function can be used to estimate average and conditional effects of a treatment variable on an outcome variable, taking into account any number of continuous and categorical covariates. It takes a user defined generalized linear model (or another statistical model with a suitable predict method) as input and computes the corresponding effects.

Usage

```
elrEffects(object, x, from = 0, to = 1, type = "difference", subset. = NULL)
```

Arguments

object	User defined generalized linear model (or another statistical model with a suitable predict method)
x	Treatment variable (character string)
from	from and to (values of treatment variable) specify the considered change in the treatment variable for the effect computation
to	from and to (values of treatment variable) specify the considered change in the treatment variable for the effect computation
type	character. Indicates the type of effect considered. Can be one of "ATE" (with aliases "difference" and "Average Treatment Effect" and "Average of Differences"), "SRA" (with alias "Simple Ratio of Averages"), or "ORA" (with alias "Odds Ratio of Averages"), "ASR" (with aliases "ratio" and "Average of Simple Ratios"), "AOR" (with aliases "oddsratio" and "Average of Odds Ratios").
subset.	Logical vector for computing effects in a subset of the data (conditional effects).

Value

Object of class elreffects

Examples

```
## Example with a logistic regression
m1logreg <- glm(y ~ x+z1+z2+k1+k2, data=elrdata_logreg, family=binomial)
elrEffects(m1logreg, "x", from="0", to="1", type="difference", subset.=NULL)
```

elrEffectsGUI *Shiny interface for elrEffects*

Description

This function calls a shiny interface for elrEffects.

Usage

```
elrEffectsGUI(launch.browser = TRUE)
```

Arguments

launch.browser Option will be passed on to [runApp](#)

elrPredict *Predict Conditional Effects*

Description

Predicts conditional treatment effects based on a fitted EffectLiteR model.

Usage

```
elrPredict(obj, newdata = NULL, add.columns = "expected-outcomes")
```

Arguments

obj	Object of class <code>effectlite</code> .
newdata	An optional <code>data.frame</code> , containing the same continuous and categorical covariates as used when fitting the EffectLiteR model in <code>obj</code> . Only covariates (and neither the dependent variable nor indicators for latent variables) should be included.
add.columns	Used to request additional columns. Can be one or several of <code>c("covariates", "modmat", "expected-outcomes", "prop-covariates")</code> .

Value

Object of class `"data.frame"`.

Examples

```
m1 <- effectLite(y="dv", z=c("z1"), k=c("k1","kateg2"), x="x",
control="control", data=example01)
newdata <- data.frame(k1="male", kateg2="1", z1=2)
elrPredict(m1, newdata)
```

`elrReadData`*Read Data File*

Description

Tries to determine the format of the data by the file ending and chooses the appropriate function to read data. Currently supports `.csv`, `.dat`, `.txt`, `.sav`, and `.xpt` and calls [read.csv](#), [read.csv2](#), [read.table](#), [read.spss](#), [read.xport](#) accordingly. The default values for arguments depend on the function used to read data.

Usage

```
elrReadData(  
  file,  
  name = NULL,  
  header = "default",  
  sep = "default",  
  dec = "default",  
  use.value.labels = "default",  
  na.strings = "NA"  
)
```

Arguments

<code>file</code>	Name of the file to read.
<code>name</code>	Pure file name (without path to file) to read. If <code>file</code> includes a lengthy path name with many special characters, specifying this argument in addition to <code>file</code> may help the function to find the file ending.
<code>header</code>	See read.table .
<code>sep</code>	See read.table .
<code>dec</code>	See read.table .
<code>use.value.labels</code>	See read.spss .
<code>na.strings</code>	See read.spss .

Value

Object of class "data.frame".

example01

Dataset example01.

Description

A simulated dataset. The variables are:

Format

A data frame with 2000 rows and 7 variables.

Details

- x. Treatment variable with values control, treat1, and treat2.
- k1. Categorical covariate with values male and female.
- kateg2. Categorical covariate with values 1 and 2.
- z1-z3. Continuous covariates.
- dv. Continuous dependent variable.

example02lv

Dataset example02lv.

Description

A simulated dataset with latent variables. The variables are:

Format

A data frame with 300 rows and 6 variables.

Details

- CPM11. First indicator of latent covariate.
- CPM21. Second indicator of latent covariate.
- CPM12. First indicator of latent outcome.
- CPM22. Second indicator of latent outcome.
- x. Dichotomous treatment variable with values 0 (control), and 1 (treatment).
- k. Categorical covariate with values first, second, and third.

example_multilevel *Dataset example_multilevel.*

Description

A simulated dataset with a cluster ID and sampling weights to test multilevel options. The variables are:

Format

A data frame with 800 rows and 7 variables.

Details

- y. Continuous dependent variable.
- x. Treatment variable with values 0, 1.
- z. Continuous covariate.
- xz. Product of x and z.
- cid. Cluster ID.
- weights. Sampling weights.
- iptw. Classic inverse probability of treatment weights based on a logistic regression of x on z. Use with care (only for average effects).

generateMeasurementModel

Generate measurement model

Description

This function automatically generates lavaan syntax for the measurement model for a call to [effectLite](#). It is currently also used in the shiny interface.

Usage

```
generateMeasurementModel(  
  names = NULL,  
  indicators,  
  ncells,  
  model = NULL,  
  data = NULL  
)
```

 MDRS2016

Dataset MDRS2016.

Description

The simulated dataset with latent variables used in Mayer, Dietzfelbinger, Rosseel, and Steyer (2016). The variables are:

Format

A data frame with 1000 rows and 10 variables.

Details

- y11. First indicator of latent covariate (pretest mental health).
- y21. Second indicator of latent covariate (pretest mental health).
- y31. Third indicator of latent covariate (pretest mental health).
- y12. First indicator of latent outcome (posttest mental health).
- y22. Second indicator of latent outcome (posttest mental health).
- y32. Third indicator of latent outcome (posttest mental health).
- x. Categorical treatment variable with values 0 (wait list control group), 1 (conventional therapy), and 2 (innovative therapy).
- k. Categorical covariate with values 0 (male) and 1 (female).
- Ix1. Binary indicator for conventional therapy ($X=1$).
- Ix2. Binary indicator for innovative therapy ($X=2$).

 nonortho

Dataset nonortho.

Description

A simulated dataset. The variables are:

Format

A data frame with 500 rows and 3 variables

Details

- y. Continuous dependent variable depression.
- x. Treatment variable with values 0 (control), 1 (treat1), and 2 (treat2).
- z. Categorical covariate with values 0 (low neediness), 1 (medium neediness) and 2 (high neediness).

sophonet_data_simulated

Dataset sophonet_data_simulated.

Description

A simulated dataset based on the SOPHONET-study (Leichsenring et al., 2013). The variables are:

Format

A data frame with 328 rows and 24 variables.

Details

- lsas.a.t2
- lsas.v.t2
- lsas.a.t1
- lsas.v.t1
- bdi.t1.i1
- bdi.t1.i2
- bdi.t1.i3
- ecr.anx.t1.i1
- ecr.anx.t1.i2
- ecr.anx.t1.i3
- ecr.avoi.t1.i1
- ecr.avoi.t1.i2
- ecr.avoi.t1.i3
- tpq.ha.i1
- tpq.ha.i2
- tpq.ha.i3
- toska.shame.t1.i1
- toska.shame.t1.i2
- fskn.se.t1.i1
- fskn.se.t1.i2
- comorbid
- iip.lov
- iip.dom tb

References

Leichsenring, F., Salzer, S., Beutel, M. E., Herpertz, S., Hiller, W., Hoyer, J., Huesing, J., ..., Leibing, E. (2013). Psychodynamic therapy and cognitive-behavioral therapy in social anxiety disorder: A multicenter randomized controlled trial. *American Journal of Psychiatry*, 170, 759–767.

Index

* datasets

elrdata_categorical_items, [9](#)
elrdata_kieferetal2024, [10](#)
elrdata_logreg, [10](#)
example01, [14](#)
example02lv, [14](#)
example_multilevel, [15](#)
MDRS2016, [17](#)
nonortho, [17](#)
sophonet_data_simulated, [18](#)

read.spss, [13](#)
read.table, [13](#)
read.xport, [13](#)
runApp, [8](#), [12](#)
sem, [6](#), [7](#)
sophonet_data_simulated, [18](#)

autoSelectSubset, [3](#)

computeAggregatedEffects, [3](#), [3](#)
conditionalEffectsPlot, [4](#)

effectLite, [5](#), [5](#), [9](#), [15](#)
effectLite_iht, [8](#)
effectLiteGUI, [8](#)
EffectLiteR (EffectLiteR-package), [2](#)
EffectLiteR-package, [2](#)
elrdata_categorical_items, [9](#)
elrdata_kieferetal2024, [10](#)
elrdata_logreg, [10](#)
elrEffects, [11](#)
elrEffectsGUI, [12](#)
elrPredict, [12](#)
elrReadData, [13](#)
example01, [14](#)
example02lv, [14](#)
example_multilevel, [15](#)

generateMeasurementModel, [6](#), [15](#)
geom_smooth, [5](#)

MDRS2016, [17](#)

nonortho, [17](#)

read.csv, [13](#)
read.csv2, [13](#)